## In the Claims:

Please amend the claims as shown:

- 1. (Currently Amended) A peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof.
- 2. (Previously presented) The peptide according to claim 1, wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 3. (Previously presented) The peptide according to claim 1, wherein said fragment increases the degree or rate of calcification in vertebrate cells.
- 4. (Previously presented) The peptide according to claim 1, wherein said fragment increases the degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
  - 5. (Currently Amended) A composition comprising:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1[[ a]] or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
- (b) at least one member selected from the group comprising a TGF-ß family member, BMP-2, BMP-4, BMP-7, demineralized bone matrix, and molecules having sequence similarity to TGF-ß.
  - 6. (Canceled) A composition comprising:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
  - (b) one of BMP-2, BMP-4, BMP-7 or demineralized bone matrix.
- 7. (Canceled) A composition comprising: (a) a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and (b) one of a member molecules having sequence similarity to TGF-\(\beta\).

- 8. (Currently Amended) An isolated DNA encoding a functional peptide having the amino acid sequence of SEQ ID No: 1[[a]].
  - 9. (Currently Amended) A nucleic acid sequence of SEQ. ID. No. [[1 b]] 2.
- 10. (Currently Amended) A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 11. (Currently Amended) A medicament for use in inducing the rate or degree of osteogenesis in a vertebrate including:
- (a) a therapeutical effective dosage of a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in mammalian cells; and
  - (b) a therapeutical effective dosage of one of BMP-2 or demineralized bone matrix.
- 12. (Currently Amended) A medicament for use in inducing the rate or the degree of calcification in a vertebrate including a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 13. (Currently Amended) A medicament for use in inducing the rate or the degree of calcification in a vertebrate including a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 14. (Original) A method of detecting the ability of BBP to enhance the residency time of a TGF-ß homologous molecule comprising:
- (a) applying an amount of the TGF-ß homologous molecule at a first and second selected location;
  - (b) applying a selected amount of BBP at the first selected location;
- (c) detecting the amount of the TGF-ß homologous molecule at the first and second location after a selected time period; and

- (d) calculating the difference between the amount of the TGF-ß homologous molecule at the first and second location.
- 15. (Original) The method of claim 14, wherein TGF-ß homologous molecule is one of: BMP-2, BMP-4, or BMP-7.
- 16. (Currently Amended) A method of enhancing the rate or degree of osteogenesis in vertebrate tissue, comprising applying to the tissue:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
  - (b) one of BMP-2 or demineralized bone matrix.
- 17. (Currently Amended) A method of inducing calcification of vertebrate tissue, comprising applying to the tissue a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of calcification in vertebrate cells.
- 18. (Currently Amended) A method of inducing calcification of mammalian osteogenic tissue, comprising applying to the tissue a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 19. (Currently Amended) A method of enhancing the rate or degree of osteogenesis in vertebrate tissue, comprising:
- (a) administering osteogenic cells to the patient at a location proximate to the desired location of osteogenesis;
- (b) administering a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in mammalian cells; and
  - (c) administering one of BMP-2 or demineralized bone matrix.
- 20. (Currently Amended) A method of enhancing the rate or degree of calcification in vertebrate tissue, comprising:

- (a) administering osteogenic cells to the patient at a location proximate to the desired location of calcification;
- (b) administering a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of calcification in vertebrate chondrogenic and osteogenic precursor cells.
- 21. (Currently Amended) A method of enhancing the rate or degree of osteogenesis in a vertebrate, comprising:
- (a) treating vertebrate mesynchymal stem cells with one of BMP-2 or demineralized bone matrix to induce osteogenesis of the cells;
- (b) treating the vertebrate mesynchymal stem cells with a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in vertebrate cells; and
- (c) administering the vertebrate mesynchymal stem cells to the patient at a location proximate to the desired location of osteogenesis.
- 22. (Currently Amended) An article of manufacture comprising a peptide immobilized on a solid support, wherein said peptide comprises the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof.
- 23. (Previously presented) The article of manufacture of claim 38 further including BMP-2 or demineralized bone matrix.
- 24. (Canceled) An article of manufacture comprising a peptide immobilized on a solid support, wherein said peptide comprises the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 25. (Currently Amended) An implant for use in vivo comprising, a substrate having a surface, wherein at least the surface of the implant includes a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof.
- 26. (Canceled) An implant for use in vivo comprising, a substrate having a surface, wherein at least the surface of the implant includes a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.

- 27. (Canceled) The implant of claim 26, wherein at least the surface of the implant includes at least one of chondrogenic or osteogenic precursor cells.
- 28. (Canceled) The implant of claim 25 or 26, wherein the substrate is formed into the shape of a pin, screw, plate, or prosthetic joint.
- 29. (Currently Amended) A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof.
- 30. (Canceled) A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]] or a fragment thereof, wherein said fragment increases degree or rate of calcification of mammalian chondrogenic and osteogenic precursor cells.
- 31. (Canceled) A transformant obtained by introducing the nucleic acid construct of claim 29 or 30 into a host cell.
- 32. (Currently Amended) An antibody having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1[[ a]], 3 or 4.
- 33. (Canceled) An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]], 3 or 4, and wherein said antibody decreases degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 34. (Canceled) An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]], 3 or 4, and wherein said antibody decreases degree or rate of calcification in vertebrate cells.
- 35. (Canceled) An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]], 3 or 4, and wherein said antibody decreases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 36. (Currently Amended) A method of detecting the presence of BBP in sample comprising: (a) obtaining an antibody having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1[[a]], 3 or 4; (b) exposing the sample to the antibody having selective binding to any portion of a peptide comprising the amino acid sequence of 1[[a]], 3 or 4; (c) visualizing the complex of a peptide comprising the amino acid

sequence of SEQ ID No: 1[[a]] and antibody having selective binding to any portion of a peptide comprising the amino acid sequence of 1[[a]], 3 or 4.

- 37. (Currently Amended) A method of detecting the presence of a nucleic acid encoding BBP in sample comprising:
- (a) obtaining a nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: [[1 b]] 2;
- (b) exposing the sample to the nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: [[1b]] 2;
- (c) visualizing the complex of the nucleic acid encoding BBP and an nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: [[1 b]] 2.
- 38. (Previously presented) The article of manufacture according to claim 22 wherein said fragment increases the degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 39. (Previously presented) The article of manufacture according to claim 22 wherein said fragment increases the degree or rate of calcification in vertebrate cells.
- 40. (Previously presented) The implant according to claim 25 wherein said fragment increases the degree or rate of calcification in vertebrate cells.
- 41. (Previously presented) The implant according to claim 25 wherein said fragment increases the degree or the rate of osteogenesis by BMP-2 in mammalian cells; and one of BMP-2 or demineralized bone matrix.
- 42. (Previously presented) The implant of claim 40, wherein at least the surface of the implant includes at least one of chondrogenic or osteogenic precursor cells.
- 43. (Previously presented) The implant of claim 25, wherein the substrate is formed into the shape of a pin, screw, plate, or prosthetic joint.
- 44. (Previously presented) The nucleic acid according to claim 29 wherein said fragment increases the degree or rate of calcification in vertebrate cells.

- 45. (Previously presented) The nucleic acid according to claim 29 wherein said fragment increases the degree or rate of calcification of mammalian chondrogenic and osteogenic precursor cells.
- 46. (Previously presented) A transformant obtained by introducing the nucleic acid construct of claim 29 into a host cell.
- 47. (Previously presented) The antibody according to claim 32 wherein said antibody decreases the degree or rate of osteogensis by BMP-2 in mammalian cells.
- 48. (Previously presented) The antibody according to claim 32 wherein said antibody decreases the degree or rate of calcification in vertebrate cells.
- 49. (Previously presented) The antibody according to claim 32 wherein said antibody decreases the degree or the rate of calcification in mammalian chondrogenic or osteogenic precursor cells.